

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
William A. Hinton State Laboratory Institute
305 South Street, Jamaica Plain, MA 02130

DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LIEUTENANT GOVERNOR

JUDYANN BIGBY, MD
SECRETARY

JOHN AUERBACH
COMMISSIONER

10/01/2011

Abigail Holland
Assistant District Attorney, Suffolk County

Dear ADA Holland,

Enclosed is the information you requested in regards to Commonwealth vs. [REDACTED] Included are copies of the following:

1. Curriculum Vitae for Annie Dookhan and Peter Piro.
2. Drug Analysis Laboratory Receipt.
3. Control Cards with analytical results for samples # [REDACTED]
4. Analysis sheets with custodial chemist's hand notations and test results.
5. GC/Mass Spectral analytical data for samples # [REDACTED]

Annie Dookhan was the custodial chemist and performed the preliminary testing and net weight for this sample. Peter Piro was the confirmatory chemist and analyzed the GC/MS data for this sample.

If you have any questions about these materials, please call me at the number below.

Sincerely,

A handwritten signature in black ink, appearing to read "Annie Dookhan".

Annie Dookhan
Chemist II
Drug Analysis Lab
Jamaica Plain, MA. 02130
(617) 983-6631

Curriculum Vitae

Annie Khan (Dookhan)

Education:

University of Massachusetts, Boston, Ma, Master of Science in Chemistry.

University of Massachusetts, Boston, Ma, Bachelor of Science in Biochemistry.

Experience:

2003 – present

Chemist I, II, Massachusetts Department of Public Health, Drug Analysis Laboratory

*Completed six-week training course conducted by senior staff within the Department of Public Health, Drug Analysis Laboratory.

*Appointed Assistant Analyst by Assistant Commissioner of Public Health, 2004.

*Responsible for the identification of illicit drugs to determine violations of harmful and narcotic drug laws.

*Trained in the use of complex analytical instrumentation, microscopes and balances for the purpose of drug analysis.

*Maintenance and repairs of all analytical instruments.

*Responsible for the Quality Control of all analytical instruments, reagents and controls/standards.

*Oversee the Quality Control/Quality Assurance program for the Drug Lab.

*Writing, revising and reviewing Standard Operating Procedures (SOPs) and Protocols.

*Notary Public.

*Qualified as an expert witness in Massachusetts Courts and U.S. District Court

2001 – 2003

QC Analyst I, II, UMMS-Massachusetts Biologic Laboratory, QC Material Control

*Completed proficiency training conducted by a member of the staff within the MLB Quality Control and Quality Assurance Department.

*Method Development for creating new techniques and enhancing vaccines for the QC Dept. and FDA.

*Writing, revising and reviewing Standard Operating Procedures (SOPs).

*Trained and supervised new chemists and interns for the department.

*Routine QC testing of products for the FDA.

*Trained in the use of complex analytical instrumentation, and balances for the purpose of QC analysis for product and validation projects.

*Calibration, preventive maintenance, QC and QA of analytical instrumentation.

*Complete testing of chemicals for Vendor Validation Project for the FDA.

*Compendial testing and interpretation of the USP, ACS, FCC, AOAC, Merck Index, PDR, etc.

Additional Training:

Dept. of Justice – Forensics Professionals. (numerous trainings)

GLP/GMP training with Massachusetts Biologic Laboratory.

QC/QA training according to FDA Codes and Regulations.

GC and GC/MS trainings with Agilent Technologies and Restek.

HPLC and LC/MS/MS trainings with Waters Cooperation.

FTIR training with Spectros.

TOC training with MBL and Sievers.

Association:

American Chemical Society (ACS)

Northeastern Association of Forensics Science (NEAFS)

Curriculum Vitae

Peter Piro

EDUCATION

Boston University

B.A. in Chemistry and Minor in Biology, 1989

HONORS

Magna Cum Laude, 3.6 GPA

Graduated with Distinction in Chemistry

Valedictorian of the Chemistry Department

EXPERIENCE

Department of Public Health/State Laboratory Institute

Chemist III, II, I/ Assistant Analyst

December 1991-Present

Supervise the operation and maintenance of the Gas Chromatography/Mass Spectrometry Laboratory. Analyze controlled substances for State and Federal law enforcement agencies. Qualified as an expert witness in Massachusetts courts and U.S. District Court.

Massachusetts Health Research Institute

Laboratory Technician

September 1990-December 1991

Researched the seasonal and special occurrences of DSP and PSP in shellfish samples harvested from coastal waters and Georges Bank.

TRAINING AND ORGANIZATIONS

- * Completed a six-week training course by senior staff within the Department of Public Health Drug Analysis laboratory.
- * Appointed Assistant Analyst by the Assistant Commissioner of Public Health in February 1991.
- * Elected as a Regular Member to the Northeastern Association of Forensic Chemists on October 27th 1995.
- * Completed training in Mass Spectrometry given by the Food and Drug Administration/Forensic Chemistry Center on November 2002.
- * Completed training in Mass Spectrometry Troubleshooting and Maintenance, October 25th 2002, at Agilent Technologies.
- * Notary Public since 1993.



DESTRUCTION #

Name & Rank of Arresting Officer

ID#

10652

STATE

MA

ANALYSIS
NUMBER

5.36

Name and Rank of Submitting Officer

ID#

2370

Received by

Date _____

15-11

ECU Control #

No. [REDACTED]
City: Boston D.C.U. Police Dept.
Officer: P.O. Diana Lopez
Def: [REDACTED]

Date Analyzed: 3-21-11

Amount:

Subst: SUB

No. Cont: 2 Cont: pb

Date Rec'd: 01/05/2011

No. Analyzed: 1

Gross Wt.: 5.36

Net Weight: 0.08

Tests: 4980

• 2 P. Piz

Prelim: Heroin

Findings: Heroin

DRUG POWDER ANALYSIS FORM

SAMPLE # AGENCY Boston ANALYST ADD

No. of samples tested: Evidence Wt.

PHYSICAL DESCRIPTION:

Beige powdered substance
in 2 pbs

double bagged

Gross Wt (2): 1.6137

Gross Wt (1): 0.2517

Pkg. Wt:

Net Wt: 0.0824

PRELIMINARY TESTS

Spot Tests

Cobalt
Thiocyanate (+)

Marquis +

Froehde's +

Mecke's +

Microcrystalline Tests

Gold
Chloride

TLTA ()

OTHER TESTS

PRELIMINARY TEST RESULTS

RESULTS Heroin

DATE 2-10-11

GC/MS CONFIRMATORY TEST

RESULTS Heroin

MS
OPERATOR PJP


DATE 2-3-21-11

Area Percent / Library Search Report

✓ P.P. 2
9-28-11

Information from Data File:

File Name : D:\System8\03_17_11\772217.D
Operator : P. PIRO
Date Acquired : 18 Mar 2011 1:03
Sample Name : BLANK
Submitted by :
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : D:\System8\03_17_11\772218.D
 Operator : P. PIRO
 Date Acquired : 18 Mar 2011 1:16
 Sample Name : HEROIN STD
 Submitted by :
 Vial Number : 6
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.831	1048817	100.00	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : D:\System8\03_17_11\772218.D
 Operator : P. PIRO
 Date Acquired : 18 Mar 2011 1:16
 Sample Name : HEROIN STD
 Submitted by :
 Vial Number : 6
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST08.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L


PK#	RT	Library/ID	CAS#	Qual
1	6.83	C:\Database\SLI.L HEROIN	000561-27-3	99



Area Percent / Library Search Report

Information from Data File:

File Name : D:\System8\03_17_11\772235.D
Operator : P. PIRO
Date Acquired : 18 Mar 2011 8:15
Sample Name : BLANK
Submitted by : ASD
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : D:\System8\03_17_11\772236.D
 Operator : P. PIRO
 Date Acquired : 18 Mar 2011 8:28
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 36
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.831	590398	100.00	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : D:\System8\03_17_11\772236.D
 Operator : P. PIRO
 Date Acquired : 18 Mar 2011 8:28
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 36
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST08.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L


PK#	RT	Library/ID	CAS#	Qual
1	6.83	C:\Database\SLI.L HEROIN	000561-27-3	99



Area Percent / Library Search Report

Information from Data File:

File Name : D:\System8\03_17_11\772250.D
Operator : P. PIRO
Date Acquired : 18 Mar 2011 11:38
Sample Name : BLANK
Submitted by :
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : D:\System8\03_17_11\772251.D
 Operator : P. PIRO
 Date Acquired : 18 Mar 2011 11:51
 Sample Name : HEROIN STD
 Submitted by :
 Vial Number : 6
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.832	1112144	100.00	100.00

Information from Data File:

File Name : D:\System8\03_17_11\772251.D
Operator : P. PIRO
Date Acquired : 18 Mar 2011 11:51
Sample Name : HEROIN STD
Submitted by :
Vial Number : 6
AcquisitionMeth: DRUGS.M
Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST08.L Minimum Quality: 80
C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	6.83	C:\Database\SLI.L HEROIN	000561-27-3	99

